UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/692,066	10/23/2003	Osamu Sekihata	FUJH 20.698	7290
26304 7590 11/27/2007 KATTEN MUCHIN ROSENMAN LLP			EXAMINER	
575 MADISON AVENUE NEW YORK, NY 10022-2585			HAILE, FEBEN	
			ART UNIT	PAPER NUMBER
			2616	
			<u> </u>	
			MAIL DATE	DELIVERY MODE
			11/27/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/692,066	SEKIHATA, OSAMU			
Office Action Summary	Examiner	Art Unit			
	Feben M. Haile	2616			
The MAILING DATE of this communication a	appears on the cover sheet with the	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REI WHICHEVER IS LONGER, FROM THE MAILING Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory peri Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.1.136(a). In no event, however, may a reply be till iod will apply and will expire SIX (6) MONTHS from tute, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 30 2a) This action is FINAL 2b) T 3) Since this application is in condition for allow closed in accordance with the practice under	his action is non-final. wance except for formal matters, pr				
Disposition of Claims					
4) Claim(s) 1-12 is/are pending in the applicati 4a) Of the above claim(s) is/are without 5) Claim(s) 4-12 is/are allowed. 6) Claim(s) 1-3 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and	drawn from consideration.				
Application Papers					
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) a Applicant may not request that any objection to t Replacement drawing sheet(s) including the coru 11) The oath or declaration is objected to by the	accepted or b) objected to by the the drawing(s) be held in abeyance. Se rection is required if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 9/18/2007.	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date			

10/692,066 Art Unit: 2616

DETAILED ACTION

Response to Argument

- 1. In view of applicant's amendment filed October 30, 2007, the status of the application is still pending with respect to claims 1-12.
- 2. The amendment filed is insufficient to overcome the rejection of claims 1-3 based upon Kalman et al. (US 6, 680,912), IEEE 802.17 Working Group, "Proposed Draft Standard: Part 17: Resilient Packet Ring Access Method and Physical Layer Specifications", hereinafter referred to as IEEE 802.17 Draft, and Oran (US 7,085,224) set forth in the last Office action because: the material added to the claims fail to further clarify a distinction between the Applicants invention and the cited references, thus the subject matter is not patentable.

Information Disclosure

3. The information disclosure statement filed September 18, 2007 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because the Japanese Office Action does not include an English translation. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with

Art Unit: 2616

the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-3 rejected under 35 U.S.C. 103(a) as being unpatentable over Kalman et al. (US 6, 680,912), hereinafter referred to as Kalman, in view of IEEE 802.17 Working Group, "Proposed Draft Standard: Part 17: Resilient Packet Ring Access Method and Physical Layer Specifications", hereinafter referred to as IEEE 802.17 Draft, in view of Oran (US 7,085,224), hereinafter referred to as Oran.

Regarding claim 1, Kalman discloses on detection of a link failure between mutually neighboring layer 2 switches, transmitting a failure notification frame packet from each neighboring layer 2 switch (figure 4 and column 6 lines 39-44; for a span break, the two nodes on the ends of the span will each send out a link status message reporting the failure to all nodes on the ring).

Kalman fails to explicitly suggest in a layer 2 switch having received the failure notification frame, recording a Media Access Control (MAC) address of said layer2 switch having received the failure notification into the failure notification frame, and transferring the failure notification frame to a neighboring layer 2 switch.

Application/Control Number:

10/692,066

Art Unit: 2616

IEEE 802.17 Draft teaches a node transmits topology discovery packets to another node, that node updates the topology map with a MAC address, and forwards it to the next node where the updating and forwarding is repeated. Furthermore, besides discovery, the topology could be updated when a fiber failure is detected (page 85; section 13 Topology Discovery).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the topology discovery method taught by IEEE 802.17 Draft into the ring topology disclosed by Kalman. The motivation for such a modification is to provide a protection mechanism.

Kalman, IEEE 802.17 Draft, and/or their combination fail to explicitly suggest providing in each layer 2 switch an address learning table in which a Media Access Control (MAC) address and a corresponding port are stored.

Oran teaches an Ethernet layer 2 switch (figure 1 unit 14 and column 2 lines 43-44) that includes a table that identifies MAC addresses associated with each port (figure 6 unit 62 and column 4 lines 41-42).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the fast failure detection taught by Oran into the fast communication topology in a ring network disclosed by Kalman as modified by the topology discovery method suggested by IEEE 802.17 Draft. The motivation for such a modification is decreasing the number of data loss that occurs by traveling over failures.

Regarding claim 2, Oran discloses wherein, on receipt of the failure notification frame in a layer 2 switch having a blocking port, said layer 2 switch stores a record,

Application/Control Number:

10/692,066 Art Unit: 2616

indicative of the layer 2 switch of interest having a blocking port, into the failure notification frame (column 3 lines 14-20; the switch sends a failure notification message when determining a port is no longer operational).

Regarding claim 3, Kalman transmitting a failure notification frame packet from the layer 2 switch having detected the failure (figure 4 and column 6 lines 39-44; for a span break, the two nodes on the ends of the span will each send out a link status message reporting the failure to all nodes on the ring).

Kalman fails to explicitly suggest transmitting a state notification frame from a layer 2 switch connected in the ring shape successively to neighboring layer 2 switches; in the neighboring layer 2 switch, detecting that the corresponding neighboring layer 2 switch is faulty when the state notification frames are not received for a predetermined number of times; recording a Media Access Control (MAC) address of the layer 2 switch having received the failure notification frame into said failure notification frame; and transferring from the layer 2 switch having received the failure notification frame the failure notification frame to a neighboring layer 2 switch.

IEEE 802.17 Draft teaches a node transmits topology discovery packets to another node, that node updates the topology map with a MAC address, and forwards it to the next node where the updating and forwarding is repeated. Furthermore, besides discovery, the topology could be updated when a protection switch is requested (page 85; section 13 Topology Discovery), where a protection switch is initiated around a station that is marked faulty because it did not receive a fairness packet that is sent

10/692,066

Art Unit: 2616

periodically to all the stations within a keep-alive time out interval (page 83; section 12.5 RPR Fairness Packet).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the topology discovery method taught by IEEE 802.17 Draft into the ring topology disclosed by Kalman. The motivation for such a modification is to provide fair access for all stations on the ring.

Kalman, Darwin, and/or their combination fail to explicitly suggest providing in each layer 2 switch an address learning table in which a Media Access Control (MAC) address and a corresponding port are stored.

Oran teaches an Ethernet layer 2 switch (figure 1 unit 14 and column 2 lines 43-44) that includes a table that identifies MAC addresses associated with each port (figure 6 unit 62 and column 4 lines 41-42).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the fast failure detection taught by Oran into the fast communication topology in a ring network disclosed by Kalman as modified by the topology discovery method suggested by IEEE 802.17 Draft. The motivation for such a modification is decreasing the number of data loss that occurs by traveling over failures.

Allowable Subject Matter

5. Claims 4-12 allowable. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose, teach, and/or fairly suggest " wherein, when the network is separated into two network groups caused by a failure, with respect to a host address connected to an arbitrary layer 2 switch, updating path information in the address learning table in a layer 2 switch belonging to the other group than the group to which said layer 2 switch belongs, so that a packet transmission direction on the ring is shifted to a port side opposite to the direction having been used up to the present".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

6. Applicant's arguments filed October 30, 2007 have been fully considered but they are not persuasive.

The Applicant respectfully traverses that IEEE 802.17 Draft fails to teach forwarding of the topology map following a failure. The Examiner respectfully disagrees with the Applicant. IEEE 802.17 Draft discloses a node transmits the topology map to another node, that node updates the topology map with a MAC address, and forwards it to the next node, where the updating and forwarding is repeated. Furthermore, IEEE 802.17 Draft suggests the topology map could be updated when a fiber failure is detected. During topology discovery, the map is forwarded after updating is complete,

Application/Control Number:

10/692,066

Art Unit: 2616

therefore following the step of updating when the fiber failure is detected, the topology map could also be forwarded. Hence as the claims are interpreted in their broadest sense, the Examiner believes that IEEE 802.17 Draft indeed does render the Applicant's invention obvious.

The Applicant respectfully traverses that IEEE 802.17 Draft teaches away from the features as clearly defined in the claims. The Examiner acknowledges that IEEE 802.17 Draft does disclose that eventually the node that generated the topology discovery packet gets back the packet. However, the Examiner understands these teachings to correspond to the situation of topology discovery. Since the cited reference is relied upon for the embodiment where the topology deals with fiber failure, in this situation either a) the node that generated the topology packet obviously cannot get the packet back or b) the node that generated the topology packet could get the packet back in a system designed of a wrap protection, which is defined in section 14 of the IEEE 802.17 Draft. Therefore as the claims are interpreted in their broadest sense, the Examiner believes that IEEE 802.17 Draft indeed does render the Applicant's invention obvious.

Conclusion

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Feben M. Haile whose telephone number is (571) 272-3072. The examiner can normally be reached on 6:00am - 3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on (571) 272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

fh HL

DORIS H. TO
SUPERVISORY PATENT EXAMPLE TECHNOLOGY CENTER